

Figure 1




FIGURE 2




FIGURE 3





FIGURE 4








Figure 6



Floure 7



MGURE 8






FIGURE 9




- •Query in language A, auction site in language B
- •Query translated from language A to language B
- •Run regular database query with translated query
- •Display returned auction items, with translations
- •User clicks on auction link to view auction page
- •Page displayed in both languages, A and B

FIGURE 10a

FIGURET 16 (6)








Figure 12







Figure 13

Figure 14










FIGURE 16








FIGURE 17












FIGURE 22

Figure 23








Figure 24








FIGURE 27







FIGURE 28








Output is new URL with appended parameters

FIGURE 31




The page rewri	iting process in the browsing tool
	inslations inline, enabling the user to view the the text translation simultaneiously

PIGURE 33

Pass 1. Traverse through the page, inserting placeholders where translations will be inserted, as well as performing other changes to the page, thereby creating a rewritten page with placeholders. During this pass, a list of text strings is extracted which must be translated before they are inserted

Pass 2. Once the text strings are translated, they are inserted into the placeholders in pass 2

FIGURE 34





## What type of token is it?




FIGURE 36





FIGURE 37







FIGURE 39

## FLOURE 40

```
<a href=URL>,
<area href=URL>,
<form action=URL>
k href=URL>,
<input src=URL>,
<frame src=URL>
<meta url=URL>,
<body background=URL>
```

as well as all other scenarios where the *URL* may contain textual content.

Note that in cases where the URL is a binary object, such as <img src=*URL*> or URL>, the URLs are not rewritten.



Individual text strings

Are concatenated into a single string, separated by delimiters between the strings

A single call is made to the translation engine, which returns a translated string

The string is broken up into its components, resulting in translations of the original strings




Figure 43: The Help Button




Figure 44



Figure 45

- 5. Make sure you capitalize names.
  - ⊗ "I had dinner with daisy last night."
  - © "I had dinner with Daisy last night."






FIGURE 46

Figure 47






FIGURE 48




Figure 50



Figure 51



Figure 52





Figure 53

## My Translator Custom Dictionary: (Edit) じゃね (ipn) - see ya (eng) かっこいい (jpn) - that's cool (eng) ರಕ∟ಸ⊍ (jpn) - long time no see (eng) Custom Phrases: (Edit) My name is Ariel. (F2) My e-mail is ariel@amikai.com. (F3) I love penguins. (F4) Do not translate these words: (Edit) Ray Apple AudioTime Lunar Technologies Notes: (Edit) Japanese grammar Egypt Travel Tips Default topic: Hi-tech

## User builds...






FIGURE 54












FIGURE 57












FIGURE 62